# **Chapter 10: Molecular Geometry and Bonding Theory**

Ionic bonding: crystal lattice

Covalent bonding: VSEPR, valence bond and hybridization theory Metallic bonding: ability of electrons to flow on all atoms.


### VSEPR: Valence shell electron pair repulsion theory.

Electrons try to be as far away from each other as possible. In bonding and bonding theory only the valence electrons are important. Each geometry is associated with its bond angles. Molecular geometry can be as follows:

(A = central atom, X = terminal atoms and E = lone pair of electrons)

Electron	AXE	Bond Angle	Example	Electronic Geometry	Shape of Molecule
Groups	formula				
2	AX <sub>2</sub>	180°	BeCl <sub>2</sub>	Linear	Linear
3	AX <sub>3</sub>	120 °	BF <sub>3</sub>	Trigonal planar	Trigonal planar
3	AX <sub>2</sub> E	120 °	SO <sub>2</sub>	Trigonal planar	Bent
4	AX <sub>4</sub>	109.5 °	CH <sub>4</sub>	Tetrahedral	Tetrahedral
4	AX <sub>3</sub> E	109.5 °	NH <sub>3</sub>	Tetrahedral	Trigonal Pyramidal
4	AX <sub>2</sub> E <sub>2</sub>	109.5 °	H <sub>2</sub> O	Tetrahedral	Bent
5	AX <sub>5</sub>	90°, 120°, 180°	PCl <sub>5</sub>	Trigonal bipyramidal	Trigonal Bipyramidal
5	AX <sub>4</sub> E	90°, 120°, 180°	SF <sub>4</sub>	Trigonal bipyramidal	Seesaw
5	AX <sub>3</sub> E <sub>2</sub>	90°, 180°	CIF <sub>4</sub>	Trigonal bipyramidal	T – shape
5	$AX_2E_3$	180 °	XeF <sub>2</sub>	Trigonal bipyramidal	Linear
6	AX <sub>6</sub>	90°, 180°	SF <sub>6</sub>	Octahedral	Octahedral
6	AX5E	90 °	BrF <sub>5</sub>	Octahedral	Square Pyramidal
6	AX <sub>4</sub> E <sub>2</sub>	90 °	XeF <sub>4</sub>	Octahedral	Square Planar
6	AX <sub>3</sub> E <sub>3</sub>	90°, 180°		Octahedral	T – Shape
6	$AX_2E_4$	180°		Octahedral	Linear

Figure on the next page.



Dipole moment and polar molecules

- Polar bond and polar molecules
- Polar bond when the two atoms of a bond have different electronegativity while
- Polar molecules have overall non-zero dipole moments and non polar molecules have zero dipole moment.
- A bond can be polar but the molecule does not have to be.
- Dipole moment = magnitude of charge x distance separating the positive and negative charge
- Units (debye = coulomb x meter)
- Dipole moment usually can be determined by exposing molecules to electric field.

Determining the polarity of a molecule

- 1) write Lewis structure of molecule (write ALL electrons)
- 2) write the shape of molecule
- 3) check the electronegativity of each atom (estimate from PT)
- 4) see the symmetry of the molecule (not just in shape but in types of atoms)
- 5) see if the equal electronegativity of similar atoms cancel each other out, if not then molecule may be polar.

## Valence Bond Theory

Electron clouds of opposite spins overlap to form bonds. Important points:

- a) Electrons stay in their respective orbitals
- b) Bonding electrons localize in the region of overlap
- c) Maximum overlap occurs when orbitals overlap end to end
- d) Molecular geometry depends on geometry of orbitals.

Has flaws when looking at bond angles and molecular of majority of molecules.

## **Hybridization**

Mixing of orbitals of excited atoms to form new orbitals, which overlap to form bonds.

Туре	Typical shape	Bond angle	e.g.
Sp <sup>3</sup>	Tetrahedral	109°	CH <sub>4</sub> , HN <sub>3</sub>
Sp <sup>2</sup>	Trigonal planar	120°	BF <sub>3</sub> , CH <sub>2</sub> =CH <sub>2</sub>
Sp	Linear	180°	$BeF_2, CH \equiv CH$

Hybrid orbitals of d shell are also possible.

Hybridization in organic chemistry

Alkanes, alkenes, alkynes.

Geometric isomerism: cis and trans geometry of alkenes.

## Molecular Orbital Theory

Atomic orbitals (AO) combine to form molecular orbitals (MO) and antibonding molecular orbitals.